

Effects of a Modified Six-Sigma-Methodology-Based Training Program on Core Competencies in Rehabilitation Nurse Specialists

Gu, Jiayi^{1,†} · Luo, Lan^{1,†} · Li, Chengjuan² · Ma, Sumin² · Gong, Fanghua³

¹Department of Rehabilitation, Hunan Provincial People's Hospital (The First Affiliated Hospital of Hunan Normal University), Changsha

²School of Nursing, University of South China, Hengyang

³Department of Nursing, Hunan Provincial People's Hospital (The First Affiliated Hospital of Hunan Normal University), Changsha, China

Purpose: Nurses play an important role in ensuring patient rehabilitation and are involved in all aspects of multidimensional rehabilitation. Therefore, strengthening rehabilitation nursing education is vital to ascertain high-quality rehabilitation and optimum outcomes. This study examined the effectiveness of a new teaching reform—a modified Six-Sigma-based training program—against a conventional educational program on rehabilitation specialist nurses' core competencies, post-training performance, and satisfaction. **Methods:** A quasi-randomized controlled trial was conducted to assess the effectiveness of the modified training program. We recruited 56 learners from the 2020 training course at the Hunan Rehabilitation Specialist Nurse Training Base as the control group. Sixty learners from the base's 2021 training course were recruited as the intervention group. Data were collected in a consistent manner from both groups after the training program was implemented. **Results:** Those who underwent the modified training program showed better improvement in all core competencies than those who underwent the conventional training program ($p < .05$); the scores for theoretical knowledge, clinical nursing lectures, reviews, and nursing case management improved significantly following the teaching reform ($p < 0.05$). Further, overall satisfaction as well as base management and theoretical teaching satisfaction improved significantly ($p < .05$). **Conclusion:** The modified training program strengthens rehabilitation nurses' base management abilities; enhances their core competencies; expands their interest in and breadth, depth, and practicability of theoretical courses; and updates the teaching methods.

Key words: Educational Reform; Rehabilitation Nursing; Nurse Specialists; Education, Nursing

INTRODUCTION

1. Background

Given Chinese patients' growing demand for medical treatment, cultivating high-quality rehabilitation specialist nurses is a major task of the China Nursing Career Development Plan (2016–2020) [1], which is of great significance in developing specialist nurse teams and improving the quality of specialist nursing. Rehabilitation nurses play an important

role in reducing functional impairment, promoting functional recovery, reducing complications, improving patients' quality of life, and enabling them to return to society as soon as possible [2]. However, currently, there remains a shortage of rehabilitation nurses in many developing countries and poor areas of the world [3]. In China specifically, the existing rehabilitation nurses lack systematic knowledge and skills in rehabilitation specialties, thus not meeting the patients' rehabilitation needs [4,5]. Therefore, improving nurses' rehabili-

[†]These authors contributed equally as first authors.

Address reprint requests to : Gong, Fanghua

Nursing Department, Hunan Provincial People's Hospital (The First Affiliated Hospital of Hunan Normal University), No. 61 Jiefang West Road, Furong District, Changsha 410021, China

Tel: +86-0731-83929063 Fax: +86-0731-83929063 E-mail: 543753397@qq.com

Received: October 6, 2022 Revised: June 26, 2023 Accepted: August 4, 2023 Published online August 31, 2023

This is an Open Access article distributed under the terms of the Creative Commons Attribution NoDerivs License. (<http://creativecommons.org/licenses/by-nd/4.0>)

If the original work is properly cited and retained without any modification or reproduction, it can be used and re-distributed in any format and medium.

tation skills is an urgent task.

Rehabilitation nursing is a well-developed specialty in many countries. However, rehabilitation nurses' training in developing countries and some distressed areas, including China, is still in the exploratory stage [6–8], and many grassroots hospitals in China have not yet established rehabilitation medicine departments or are currently in the preparatory phase [9]. The Rehabilitation Nursing Committee of the Chinese Society of Rehabilitation Medicine was the first to start a nationwide training course for rehabilitation specialist nurses in 2013, in which recruited nurses worked for more than three years in rehabilitation departments [10]. This course required learners to finish four weeks of theory and six weeks of clinical practice training. In their training model, the committee also pioneered a specialist nurse recertification system that compels learners to place more emphasis on further specialist studies after a short period of training. Learners must pass reassessment and certification after two years to obtain a "Rehabilitation Specialist Nurse Certificate." Further, since 2012, training courses for rehabilitation nurses have been held in various provinces and cities in China [11,12]. However, most training courses that include basic rehabilitation nurse training emphasize skill proficiency over educational skills, critical thinking, academic development, and leadership [13]. The Rehabilitation Specialist Nurse Training Base in Hunan, China, has recruited rehabilitation specialist nurses nationwide since 2015. To promote the widespread adoption of rehabilitation nursing across all regions, the screening criteria for admission into rehabilitation specialist education programs in China are kept relatively low [14]. Due to the fact that some hospitals in remote areas of China have not yet established rehabilitation departments, many learners who participated in the Hunan Provincial Rehabilitation Specialist Nurse Training Course of China in 2019 came from neurology, neurosurgery, respiratory medicine, orthopedics, and other related departments. Nurses from different departments have different knowledge reserves in rehabilitation nursing and there are also significant differences in the rehabilitation content of patients with functional impairments among different departments, which has led to an uneven reserve level of professional knowledge

and different learner training needs. This has led to great difficulties in specialized teaching [15], as the conventional training method does not always meet the needs of rehabilitation specialist nurses or lead to an improvement in their core competencies, in turn, leading to diminished satisfaction with training among learners [16].

The American Association of Rehabilitation Nurses [17] states that rehabilitation specialist nurses' core competencies are their ability to promote healthy living, provide nursing intervention, ensure interprofessional nursing, and exhibit leadership skills. The International Council of Nurses defines core competencies as personal attributes, including knowledge, skills, and attitudes [18]. A study [19] has identified some areas of the core competency framework for specialist nurses, including clinical care delivery, leadership and management, ethical decision-making, expert guidance, and the ability to conduct clinical research, provide consultations, and collaborate with others. It is also important to emphasize that direct clinical care provision is a central aspect of specialist nurses' roles, distinguishing them from individuals involved in nursing education or management. In the context of the American Nurses' Association assessment of nurses' competencies, the content of the modified Six-Sigma-based training program is mainly based on scoring learners' core competencies, theoretical knowledge, operational skills, clinical nursing lectures, reviews, and nursing case management skills [20].

The Six Sigma methodology is an American innovation based on the development of total quality management [21]. This approach includes many pioneering achievements at the forefront of management and is a rigorous, focused, and efficient method to improve a company's process management quality [22]. Six Sigma management is a process-advancing method rather than a quality program and can be used to analyze processes, quantify process characteristics from the status quo to the target, identify process goals and requirements, and discover methods and entry points for quality improvement [23]. Shah & Emerick [24] advocated the future use of Six Sigma to ensure patient safety, acquire quality improvements in anesthesiology, and address the growing healthcare-related challenges. Pocha [25] applied Six Sigma

tools to optimize the nursing management process and improve patient satisfaction. Reportedly, lean Six Sigma techniques can reduce the duration and variability of patient in-clinic time and increase service capacity in outpatient ophthalmology clinics without additional resource input [26]. Davidson et al. [27] pointed out that this methodology is also beneficial for continuous quality improvement in the education field and summarized the critical success sectors and barriers of Lean Six Sigma in higher education. Vaughn et al. [28] used the Six Sigma define, measure, analyze, improve, and control (DMAIC) strategy as a systematic approach to root cause analysis in their quality improvement course for orthopedic residents and achieved good results.

Therefore, to promote the popularization and development of rehabilitation specialist nurses, as well as enhance the quality of their training, the rehabilitation specialist nurse training base in Hunan Province adopted the Six Sigma method in a teaching reform to explore the effects of short-term rehabilitation specialist nurse training and provide valuable insights for developing countries and distressed areas.

2. Purpose and hypothesis

The purpose of this study was to examine the effect of the modified Six-Sigma-based training program against a conventional educational program on rehabilitation specialist nurses' core competencies scores, post-training performance, and satisfaction.

The hypotheses are as follows: The modified training program based on the Six Sigma methodology is likely to improve rehabilitation nurses' training satisfaction and enhance the cultivation of their core competencies.

METHODS

1. Study design

The DMAIC process improvement method is an important part of the Six Sigma methodology and defines concrete interventions based on five steps: definition, measurement, analysis, improvement, and control. The duration of the intervention in this study was two months, that is, one month

each for clinical practice and theoretical lectures, of which clinical practice was seven hours a day, five days a week, while theoretical lectures were forty-five minutes per session, two credit hours per course. Through the five steps of the Six Sigma DMAIC strategy, we improved training quality in three aspects: base management, theoretical teaching, and practical training.

2. The modified six-sigma-based training program

1) Definition phase

Identify critical to quality (CTQ) characteristics that affect product quality, performance, customer satisfaction, process improvement needs, and targets for improvement.

The Six Sigma methodology teaching reform team was composed of the head teacher, director of the practical base, director of the theoretical base, and all the teachers who participated in the course. The head teacher was responsible for collecting data on learners' satisfaction with the courses and teachers and evaluating the learners' core competencies. The teachers were responsible for providing feedback on learners' classroom performance, and the directors of the theoretical and practical bases were responsible for coordinating and organizing the reform of the teaching plan. The detailed training project charter consisting of questions, targets, and CTQ attributes was used. The targets of the teaching reform included meeting the learners' learning needs, improving learners' satisfaction, and improving their core competencies as rehabilitation specialist nurses. The CTQ of the education reform focused on the latter two.

2) Measurement phase

Measure the process, establish the baseline and expected goals, and compare effectiveness before and after implementation.

During the measurement phase, we collected both learners' and teachers' opinions and suggestions regarding the rehabilitation specialist nurses' training before and after the educational reform to identify the deficiencies in the training.

The following data were collected for each learner:

- Demographic data, including age, years of work experience, designation, work department, educational back-

ground, and professional title.

- Specialist nurses' core competencies.
- Rehabilitation specialist nurses' satisfaction with training.
- Theoretical knowledge, operational skills, reviews, clinical nursing lectures and nursing case management scores.

3) Analysis phase

Utilize statistical analysis tools to analyze the data collected to identify the critical factors influencing the process.

In this phase, we have compiled the opinions and suggestions of learners and teachers and conducted a teaching analysis meeting for rehabilitation specialist nurses to identify the reasons for the problems in the training of rehabilitation specialist nurses in recent years. We summarized the problems and reasons from three aspects and proposed countermeasures: training base management, theoretical teaching, and practical training. Further details are listed in Table 1.

4) Improvement phase

Discover ways to eliminate or reduce critical influence factors, evaluate implementation risks, and verify the effectiveness of improvements.

We proposed solutions to solve the problems in traditional teaching mode that emerged from the analysis. We unified each suggested aspect and formulated the best improvement plan, which included optimizing workflows and designing focused training programs for difficult problems. The details of the training and teaching reform programs for rehabilitation specialist nurses are shown in Table 1.

5) Control phase

Development of a control plan and definition of monitoring methods to sustain improvements and achieve the desired objectives.

The researchers organized seminars for learners to collect real-time feedback on teaching training and adjusted the training plan according to real-time teaching feedback and seminars. Some training plans would be adjusted based on the feedback to ensure the reform plan is implemented

according to the Six Sigma method.

Emphasis was placed on skills assessment, and the evaluation indicators of training effectiveness included theoretical knowledge, operational skills, clinical nursing lectures, reviews, nursing case management, core competencies for rehabilitation specialist nurses, and trainee satisfaction.

3. Setting and sample

This study was conducted as a quasi-randomized controlled trial organized by the government during the 2020 and 2021 academic years, with a limited number of participating trainees. All students attending the training course at Hunan Provincial Rehabilitation Specialist Nurse Training Base (HRSNTB) were eligible for participation, and there were no exclusion criteria for learners. The control group consisted of 56 learners who participated in the 2020 training course at the HRSNTB, whereas the intervention group included 60 learners from the HRSNTB's 2021 training course. In total, 116 participants were included in the study. All participants were fully engaged in the study and there were no drop-outs during the five steps. The data were collected in the same way for both groups after implementing the modified Six-Sigma-based training program. The effects of these two methods on the rehabilitation specialist nurses' training were compared by evaluating the nurses' pre- and post-intervention core competencies and satisfaction scores. The learners' performance in terms of theoretical knowledge, operational skills, reviews, clinical nursing lectures, and nursing case management post-training was also compared between the two groups. All the learners participated voluntarily in this training and no ethical issues arose. As shown in Table 2, all 116 learners originally in the study completed training and acquired rehabilitation specialist nursing certifications. There were no statistically significant differences in the basic data between the two groups ($p > .05$).

4. Data collection

1) General information questionnaire

The general information questionnaire included questions on age, years of work experience, designation, work department, educational background, and professional title.

Table 1. Analysis of Deficiencies in the Training of Rehabilitation Specialist Nurses and Training and Teaching Reform Program for Rehabilitation Specialist Nurses

Three aspects	Problems	Reasons	Traditional teaching mode	Contents of teaching reform
Training base management	① Some students have a negative attitude toward learning ② The theory teachers' class time is not co-ordinated with the class schedule ③ The teaching mode, learning content, and assessment questions of the practice base are inconsistent	Lack of reward and punishment mechanisms for learning Theory teachers are all part-time teachers, and their schedule is uncertain Lack of homogeneous management	① The theory lecturers were recommended by major hospitals in the province ② Six hospitals were selected as practice bases by HPSNQCC from all over the province ③ Use the "Training Manual for Training Learners of Rehabilitation Specialty Nurses," issue certificates and select excellent learners according to the evaluation of theory and practical teachers ④ Theoretical teaching courses are designed according to the contents of rehabilitation specialties ⑤ Each practice base designs their own practice teaching	① The teachers for theory were re-selected by the Hunan Provincial Specialist Nursing Quality Control Center (HPSNQCC) ② The quality control center of Hunan Province unified the qualification selection of the training and practice base for rehabilitation specialty nurses all through the province and added a new hospital as a practice base, based on the original seven practice bases ③ Revised the "Training Manual for Rehabilitation Specialist Nurse Training Learners," quantified the selection score table for outstanding learners, added a score table for learners' theoretical learning and practical learning performance, and issued a certificate of completion according to the learning performance score table as appropriate ④ The "Rehabilitation Specialist Nurse Training Theory Syllabus" has been formulated according to the needs of the learners. The course content further increases the hours of rehabilitation nursing research and teaching modules and strengthens the training of learners' scientific research ability and teaching ability ⑤ Formulated the "Rehabilitation Specialist Nurse Training Practice Teaching Syllabus and Practice Arrangement Instructions" and the "Hunan Provincial Rehabilitation Specialist Nurses Training Practice Manual" to clarify the specific practice and assessment content Based on the traditional training model's original rehabilitation nursing practice content, the practice hours for rehabilitation nursing management, nursing education, and nursing research were added
Theoretical teaching	① The courseware of some theoretical courses is outdated ② Some of the courses did not meet the needs of the learners	Some theory teachers have been transferred from their clinical positions, and their knowledge systems have not been updated in a long time Teaching goals are inconsistent with learners' needs	① Assign teaching tasks to teachers according to the content of rehabilitation nursing specialties, and review teachers' courseware ② Take offline classes. The lecture time is adjusted according to the teachers' time. Theory time is 4 weeks, including 140 credit hours ③ Adopt multimedia teaching method ④ At the end of the theoretical teaching, the final examination is conducted, and the score of the final examination ≥ 60 is qualified	① According to the teacher's professional direction and willingness to choose the teaching topic, formulated the "Theoretical Teaching Requirements for the Rehabilitation Specialist Nurse Training Course" to standardize the teaching requirements. The instructor develops the courseware according to the theoretical syllabus and teaching requirements and submits it to the training base for review one week in advance ② According to the course schedule, the time is flexible, and teaching is mainly offline, combined with online teaching for theoretical teaching. In principle, no course adjustment is allowed. The theoretical time matches the traditional teaching time, a total of 4 weeks and 140 hours ③ According to the needs of the learners and based on the traditional classroom teaching method, the rehabilitation specialist operation demonstration method has been added to further deepen the learners' understanding of the theoretical knowledge of the relevant specialties and enhance the practical focus of the course ④ Emotional teaching was integrated into professional theory teaching For example, in teaching for occupational therapy, teachers guide learners emotionally through the case of "the rehabilitation process of a hero who was disabled because of saving people" to stimulate learners' interest in learning occupational therapy and enhance their empathy for patients ⑤ Formulated the "Real-Time Teaching Feedback Form for Theory Teaching" to receive feedback on learners' opinions on the theoretical teaching in real time ⑥ Based on the original entrance theory test and graduation theory test in the traditional training model, the theory assessment will include a mid-term theoretical test. Scores on both the mid-term and final examinations are > 60

Table 1. Continued

Three aspects	Problems	Reasons	Traditional teaching mode	Contents of teaching reform
Practical training	① There are insufficient practical opportunities in the practical stage ② There are too many learners in individual practice bases, which affects the impact of practice teaching	The content of rehabilitation specialist nursing practice has increased, and the practice time schedule is insufficient The distribution of practice is unsuitable, the number of learners is high, and the number of practice bases is insufficient	① Learners are equally distributed by the training base to practice bases for internship ② The duration of clinical practice was 4 weeks, including 140 credit hours ③ The practical teaching method is used for learners to study with a teacher during rehabilitation nursing work ④ The training on reviews, clinical nursing lectures and nursing management is assigned 8 credit hours in internship program ⑤ One operation is randomly selected from the rehabilitation specialized nursing operation techniques for assessment, and a score ≥ 80 is qualified. The score of clinical nursing lectures and nursing case management ≥ 80 is qualified. The score of views ≥ 60 is qualified	① Learners and the person in charge of each practice base fill in their respective volunteer form and the number of learners recruited by the practice base, and the practice allocation is determined according to the learners' practice volunteers and the practice base recruitment plan ② Each practice base formulates a clinical teaching plan according to the practical syllabus one week before the trainee's clinical practice and submits it to the Hunan Provincial Rehabilitation Specialist Nurse Training Base for review ③ The clinical practice time was extended to 8 weeks including 280 credit hours ④ Incorporated the social participatory teaching method for practical teaching and allowing learners to enter the community and fully understand the living conditions of rehabilitation patients returning to society triggers learners to reflect on the difficulties faced by rehabilitation patients returning to society, and explored the value of continuing rehabilitation care ⑤ The case teaching method applied to operational skills training to increase the practicality of specialized operations ⑥ Formulated the "Practical Teaching Feedback Form" to receive feedback from learners regarding the practical teaching in real time ⑦ The training duration of reviews, clinical nursing lectures and nursing management were extended to 32 credit hours in the internship program, and one-to-one teacher guidance of the above tasks was arranged for each learner ⑧ Unified the scoring standards for operation assessment, review assessment, nursing case management assessment, and clinical nursing lectures assessment. Two operations were randomly selected from the rehabilitation specialist nursing operation techniques for assessment, and scores ≥ 80 were considered qualified. Clinical nursing lectures and nursing case management scores ≥ 80 were considered qualified, and a review score ≥ 60 was considered qualified

Table 2. Comparison of Basic Information of the Two Groups of Participants

Variables	Categories	Control group (n = 56)	Intervention group (n = 60)	t/ χ^2 /Z	p
		M $\pm$ SE or n	M $\pm$ SE or n		
Age (yr)	-	31.59 $\pm$ 4.69	31.90 $\pm$ 4.26	- 0.37	.709
Years of work experience (yr)	-	6.25 $\pm$ 3.34	7.12 $\pm$ 4.67	- 1.142	.256
Designation	Head nurse	5	7	0.23	.628
	Nurse	51	53		
Work department	Rehabilitation department or rehabilitation hospital	23	32	1.75	.186
	Other related departments	33	28		
Educational status	College diploma	11	11	- 0.18	.858
	Bachelor's degree or above	45	49		
Professional title	Senior nurse	31	25	- 1.47	.142
	Supervisor nurse	25	35		

M = Mean; SE = Standard error.

2) Core competency questionnaire

The questionnaire was compiled by Wang [29] and includes 69 items: 8 first-level indexes, 21 second-level indexes, and 66 third-level indexes. The first-level indexes include professional rehabilitation nursing ability, educational guidance ability, ability to communicate and collaborate, critical thinking skills, professional development capability, professional quality, ability to support and supervise, and rehabilitation nursing management ability. Professional rehabilitation nursing ability includes the ability to acquire knowledge about rehabilitation and other relevant professional knowledge, and the ability to perform rehabilitation techniques; it contains 23 questions. Educational guidance ability includes health education, clinical teaching, and rehabilitation guidance competencies; it contains 11 questions. The ability to communicate and collaborate includes communication and teamwork skills and contains seven questions. Critical thinking skills include rehabilitation assessment skills, analytical decision-making skills, and rehabilitation evaluation skills, and contains eight questions. Professional development capability includes the ability to innovate in nursing research and personal professional development and contains five questions. Professional quality includes professional identity, empathy, and responsibility, and contains three questions. The ability to support and supervise includes encouraging support and monitoring guidance and contains five questions. Rehabilitation nursing management ability includes planning, organizational and coordination, and quality control skills in rehabilitation care; it contains seven questions. The items were answered using a 5-point Likert scale (5 = completely agree, 4 = basically agree, 3 = uncertain, 2 = basically disagree, and 1 = totally disagree). The Cronbach's α coefficient of the questionnaire's overall index system was .966. The Cronbach's α coefficient of the first-level index was between .805 and .948 and that of the second-level index was between .714 and .983.

3) Training satisfaction questionnaire

We used a satisfaction questionnaire designed by the researcher to assess the rehabilitation nurses' satisfaction with their training. The researchers selected the following four items to explain rehabilitation nurses' satisfaction: (1) overall

satisfaction, (2) satisfaction with base management, (3) satisfaction with theoretical instruction, and (4) satisfaction with clinical practice. Each question was graded on a scale of 1–2 points, 1 meaning "satisfactory" and 2 meaning "fair/unsatisfactory." The reliability of this study was Cronbach's $\alpha = 0.987$.

4) Scores for operational skills, theoretical knowledge, reviews, clinical nursing lectures, and nursing case management

The difficulty levels of the two groups' theoretical knowledge tests were the same, and we adopted a unified scoring standards system (100-point) to assess operational skills, reviews, clinical nursing lectures, and nursing case management. The learners' theoretical knowledge, operational skills, clinical nursing lectures, and nursing case management scores had to reach at least 80 points, and the learners' reviews required a score of at least 60 points. The assessment papers for theoretical knowledge, operational skills, clinical nursing lectures, reviews, and nursing case management were developed in strict accordance with the requirements of the Nursing Teaching Assessment Regulations. The investigators were uniformly trained.

5. Data analysis

Statistical analyses were performed using SPSS Statistics (version 22.0, IBM, Armonk, NY, USA) software. Categorical data are presented as case counts and percentages, and a t-test or rank sum test was used for comparisons between the two groups. Measurement data were represented by ($\bar{x} \pm s$), and the comparison was made by two-sample t-test or variance analysis. Statistical significance was set at $p < .05$.

The core competencies of the rehabilitation specialist nurses in the two groups were evaluated using directly distributed paper questionnaires for surveys from pre- to post-test. Differences in training satisfaction between the two groups of learners after training were also evaluated. After training, operational skills, theoretical knowledge, reviews, clinical nursing lectures, and nursing case management were compared between the two groups.

6. Ethics considerations

All study participants were trainees of the HRSNTB who gave their informed consent to the study content and specific assessment indicators, which were collected in terms of age, years of work experience, work sector, educational background, and title, and assessment indicators, including theoretical knowledge, operational skills, clinical nursing lectures, reviews, and nursing case management scores. The study was conducted in accordance with the Declaration of Helsinki and approved by the Research Ethics Committee (No. LC2022105).

RESULTS

1. Core competencies

After the modified Six-Sigma-based training program, participants in the intervention group showed significant improvement on all the core competencies. Compared to the control group, the intervention group showed significant im-

provement in professional rehabilitation nursing ability ($t = 16.83, p < .001$), critical thinking skills ($t = 20.99, p < .001$), educational guidance ability ($t = 16.61, p < .01$), ability to support supervision ($t = 18.04, p < .001$), ability to communicate and collaborate ($t = 19.61, p < .001$), rehabilitation nursing management ability ($t = 14.74, p < .001$), professional development capability ($t = 2.16, p = .03$), and professional quality ($t = 13.89, p < .001$) following the intervention. Moreover, the participants in the intervention group showed significant improvement in professional rehabilitation nursing ability ($t = 25.92, p < .001$), critical thinking skills ($t = 18.17, p < .001$), educational guidance ability ($t = 21.41, p < .001$), ability to support supervision ($t = 24.66, p < .01$), ability to communicate and collaborate ($t = 21.07, p < .001$), rehabilitation nursing management ability ($t = 14.67, p < .001$), professional development capability ($t = 5.32, p < .001$), and professional quality ($t = 22.12, p < .001$) between the pre- and post-tests (see Table 3).

Table 3. Comparison of the Scores of the Core Competencies of Rehabilitation Specialist Nurses between the Two Groups

Items	Groups	Pre (T0)	Post (T1)	t^1	p	Difference	t^2	p
		M $\pm$ SE	M $\pm$ SE			M $\pm$ SE		
Rehabilitation professional nursing ability	Con.	53.55 $\pm$ 8.02	65.82 $\pm$ 7.98	10.25	< .001	2.18 $\pm$ 1.64	16.83	< .001
	Int.	55.73 $\pm$ 9.61	87.68 $\pm$ 5.92	25.92	< .001	21.86 $\pm$ 1.30		
Critical thinking skills	Con.	19.75 $\pm$ 2.40	19.96 $\pm$ 2.52	2.46	.017	0.48 $\pm$ 0.57	20.99	< .001
	Int.	20.23 $\pm$ 3.66	30.22 $\pm$ 2.73	18.17	< .001	10.25 $\pm$ 0.49		
Educational guidance ability	Con.	25.39 $\pm$ 3.58	30.43 $\pm$ 3.19	12.26	< .001	0.82 $\pm$ 0.78	16.61	< .001
	Int.	26.22 $\pm$ 4.72	40.05 $\pm$ 3.05	21.41	< .001	9.62 $\pm$ 0.58		
Ability to support supervision	Con.	12.48 $\pm$ 1.66	14.32 $\pm$ 1.71	8.70	< .001	0.17 $\pm$ 0.33	18.04	< .001
	Int.	12.65 $\pm$ 1.93	19.58 $\pm$ 1.43	24.66	< .001	5.26 $\pm$ 0.29		
Ability to communicate and collaborate	Con.	18.18 $\pm$ 2.17	19.29 $\pm$ 2.12	5.21	< .001	- 0.25 $\pm$ 0.47	19.61	< .001
	Int.	17.93 $\pm$ 2.89	26.80 $\pm$ 2.01	21.07	< .001	7.51 $\pm$ 0.38		
Rehabilitation nursing management ability	Con.	17.20 $\pm$ 2.14	17.34 $\pm$ 2.28	0.82	.414	0.19 $\pm$ 0.42	14.74	< .001
	Int.	17.38 $\pm$ 2.41	24.48 $\pm$ 2.93	14.67	< .001	7.14 $\pm$ 0.49		
Professional development capability	Con.	11.50 $\pm$ 1.71	11.55 $\pm$ 1.56	0.52	.606	- 0.48 $\pm$ 0.34	2.16	.033
	Int.	11.02 $\pm$ 1.96	12.12 $\pm$ 1.24	5.32	< .001	0.56 $\pm$ 0.26		
Professional quality	Con.	8.61 $\pm$ 1.33	9.63 $\pm$ 1.02	7.48	< .001	- 0.14 $\pm$ 0.22	13.89	< .001
	Int.	8.47 $\pm$ 1.08	12.67 $\pm$ 1.31	22.12	< .001	3.04 $\pm$ 0.22		
Total score	Con.	166.77 $\pm$ 18.01	188.80 $\pm$ 13.89	17.97	< .001	2.87 $\pm$ 4.08	24.15	< .001
	Int.	169.63 $\pm$ 25.50	253.33 $\pm$ 14.88	25.72	< .001	64.53 $\pm$ 2.67		

t^1 = Paired t-test; t^2 = Independent t-test; Con. = Control group ($n = 56$); Int.= Intervention group ($n = 60$); M = Mean; SE = Standard error; T0 = Pre-test; T1 = Post-test.

2. Professional competence

All the participants completed the training program. In Figure 1, the scores (labeled on the y-axis) are broken down by each of the five aspects (labeled on the x-axis). The scores per aspect are represented on the graph, with the boxes indicating interquartile deviation and the marker in the middle of the box indicating the median score. The dotted lines or “whiskers” protruding from the top and bottom of the boxes indicate the minimum and maximum scores for the five aspects of the participants. Additionally, operational skills, reviews, and clinical nursing lectures each have one outlier represented on the graph by small dots at the low end




Figure 1. Comparison of scores of operational skill, theoretical knowledge, reviews, clinical nursing lectures, and nursing case management. * $p < 0.05$.

of the scores. At the time of intervention termination, the scores for theoretical knowledge, reviews, clinical nursing lectures, and nursing case management were significantly higher in the intervention group than in the control group ($p < .05$), while operational skills scores were not statistically significantly different between the two groups ($Z = -1.42$, $p = .156$).

3. Satisfaction with the training

As shown in Table 4, at the time of the intervention, base management satisfaction, theoretical teaching satisfaction, and overall satisfaction were significantly higher in the intervention group than in the control group ($p < .05$), while the difference in the clinical practice satisfaction scores between the two groups was not significant.

DISCUSSION

1. Improvement in the core competencies

Although studies have investigated the effects of training programs on teaching clinical skills in rehabilitation nursing [13], few have discussed the training effectiveness of core competencies for specialized nurses. A systematic and professional rehabilitation nursing education program is important to promote nurses' understanding of and professional development in the rehabilitation nursing profession. The results of this study show that the conventional teaching model was not effective in improving learners' rehabilitation nursing management and professional development abilities, while the modified Six-Sigma-based training program promoted all dimensions of the rehabilitation specialist nurses' core com-

Table 4. Comparison of Degree of Satisfaction between the Two Groups of Learners after Training

Groups	Base management		Theoretical teaching		Clinical practice		Overall satisfaction	
	Satisfactory	Fair or unsatisfactory	Satisfactory	Fair or unsatisfactory	Satisfactory	Fair or unsatisfactory	Satisfactory	Fair or unsatisfactory
	n (%)							
Control group (n = 56)	48 (85.7)	8 (14.3)	46 (82.1)	10 (17.9)	49 (87.5)	7 (12.5)	47 (83.9)	9 (16.1)
Intervention group (n = 60)	59 (98.3)	1 (1.7)	58 (96.7)	2 (3.3)	57 (95.0)	3 (5.0)	59 (98.3)	1 (1.7)
χ^2	4.802		6.588		1.226		5.911	
p	.028		.010		.268		.015	

petencies. This is consistent with the study by Xiao et al. [30], which showed that the Six Sigma methodology can improve teaching quality in pediatric nurse training. A study conducted at a private hospital in Ireland demonstrated that the introduction of the Six Sigma model into a basic life support training program for medical staff led to improved satisfaction among participants. Furthermore, the study revealed that the implementation of the Six Sigma model significantly reduced the training time and costs for both the training departments and instructors involved [31].

The defects and deficiencies existing in conventional teaching were fully understood in the measurement-and-analysis stage of the Six Sigma management model, and teaching evaluation was standardized during the improvement stage [26], which resulted in improved teaching quality. Moreover, various assessment indicators were unified and quantified to ensure the scientific nature and rationality of the teaching effect evaluation. Standardized teaching evaluation has been widely implemented in nurse training programs across many countries because it provides an effective and objective method for assessing teaching effectiveness [32,33]. Furthermore, in the improvement stage, the practice content of the relevant core competencies was added to the practice outline to ensure that training for various core competencies, such as education guidance, rehabilitation nursing management, and professional development abilities, was no longer limited to theory. In addition, a teaching feedback mechanism was established throughout the training to allow theoretical and practical teachers to reflect on and adjust their teaching plans in a timely manner, which promoted improvements in teaching quality.

We extended the training period for education reform. After completing the modified Six-Sigma-based training program, the rehabilitation specialist nurses' core competencies achieved a marked improvement.

2. Improvement in professional competence

Specialist nurses are practitioners and promoters of professional development [34] who teach and conduct scientific research in clinical nursing work; therefore, improving their professional development abilities is of great importance. In

this teaching reform, the scores for theoretical knowledge, reviews, clinical nursing lectures, and nursing case management for the intervention group were significantly higher than that for the control group. This is mainly due to the following reasons. First, we focused on stimulating the nurses' active learning potential, adhering to problem-oriented teaching methods, and stimulating their desire for learning and exploration, which created a dynamic and innovative learning atmosphere. Thus, learners' initiative and enthusiasm for learning increased significantly.

Second, in view of the learners' weak abilities in reviews, clinical nursing lectures, and nursing case management, we provided scientific research nursing lectures throughout the training process to renew their knowledge structure and cultivate critical thinking ability. We extended the credit hours in this part of the training to ensure the teaching effect. We also implemented a one-to-one tutorial system to provide effective guidance for learners, which helped resolve their issues in a timely manner and improve their performance, consistent with the research of Qi & Wang [35]. Their study showed that the application of a "one-to-one" tutorial system combined with reflective teaching in nursing education for the intensive care department can significantly improve the nurses' theoretical knowledge and operational skills in routine training and is conducive to improving their critical thinking ability.

Third, we paid special attention to students' oral expression, teaching, and clinical thinking abilities. During the teaching process, we purposefully and relevantly arranged special discussions, special lectures, and health education lectures. We applied the case teaching method to operational training to increase the practicality of specialized operations and required learners to manage typical clinical cases throughout the course. In recent years, several countries have integrated clinical cases into training programs for specialized nurses [36–38], with the aim of enhancing their problem-solving abilities and bridging the gap between the teaching environment and real-world clinical settings [39]. In the process of clinical case management, we required learners to participate in nursing evaluations, diagnoses, treatment plans, and measures of clinical cases, as well as to

track the nursing outcomes of patients. Finally, we summarized and reported the experience of managing the entire case. In this way, the learners' clinical thinking and practical abilities significantly improved.

Compared with the conventional educational program, the modified Six-Sigma-based training program did not result in a higher operational skills score. Objective structured assessment reflects specialist nurses' true operational levels and resilience in clinical applications [40]. In this study, we used traditional assessment methods after the teaching reforms. In future research, we need to discuss the impact of assessment methods on outcomes.

In addition, the duration of professional practice teaching was extended from one to two months, with the purpose of improving the clinical application of professional competence in rehabilitation, and the score of the intervention group in terms of nursing case management was significantly improved after the training program. This is consistent with the findings of a previous study [41]. As learning time is an important factor influencing learning outcomes [42,43], these results suggest that future research should consider the best learning time when developing training programs to increase the effect of training.

3. Improvement in the learners' satisfaction with the training

Learners' satisfaction with the training is an indicator of the teaching effect. This study determined that the use of the modified Six-Sigma-based training program for rehabilitation specialist nurses was more beneficial than the use of conventional educational programs regarding training satisfaction, including base management and theoretical teaching.

This is possible for several reasons. First, the Six-Sigma-based education method strengthened the learners' reward and punishment mechanisms, which increased their learning enthusiasm. Second, the application of emotional teaching in theoretical teaching allowed learners to understand the value of rehabilitation nursing and enhance their professional identity [44]. Third, the operational demonstration teaching method was added to the theoretical courses, fully combining theory and practice and increasing the interest and practica-

bility of training courses [45]. Finally, we respected the feedback of the learners throughout the training and adjusted our teaching methods and content accordingly.

However, the improvement in clinical practice satisfaction was not significant, mainly because of the following reasons: First, the learners in the two groups were from different departments; only 41.1% to 53.3% of the learners were from rehabilitation departments in our education program; therefore, the learning focus and needs of learners were diversified. Furthermore, in the clinical practice stage, we chose different hospitals as clinical practice bases, resulting in uneven teaching levels and affecting the learners' satisfaction with the clinical practice. Moreover, different teaching bases adopt different teaching methods; some clinical teaching bases still use conventional teaching modes, which cannot meet the diverse learning needs of learners. Although the clinical practice teaching syllabus and manual have been unified, some clinical practice teaching bases have also introduced social participatory teaching, which has been shown to stimulate learners' empathy and improve their learning interest and communication abilities [46]. However, this type of teaching does not apply to all practice bases. Researchers have also found that diversified teaching methods such as clinical practice teaching, simulated ward teaching, and case teaching are more convenient for deepening learners' understanding and improving their memory [47,48]. In future, these practical teaching modes should be implemented to solve this problem.

4. Limitations

There were some limitations in the process of this specialty nursing teaching reform. First, we primarily focused on the improvement of theoretical knowledge and core competencies. Thus, the effect of training on rehabilitation practice was not apparent and needs to be further strengthened. Second, the learners' clinical practice ability was assessed via specialist operation skills, but a gap remains between theory and practice. In the next step, we will continue to explore ways to improve specialist nurses' clinical practice training. Third, the control and intervention training sessions were held at different times, approximately a year apart,

which may have affected the accuracy of the results. Future research should include more participants and apply teaching reforms to different regions to verify their effectiveness.

CONCLUSION

The training and teaching reform plan for rehabilitation specialist nurses based on the Six Sigma management model strengthened training base management; expanded the breadth, depth, and practicability of and interest in theoretical courses; implemented homogeneous management of clinical practice; updated teaching methods; and enhanced the training effect on learners' core competencies. However, the management and training of practice bases need to be strengthened, a more effective and suitable practice training model for rehabilitation specialist nursing should be further explored, and the clinical practice teaching effect and students' satisfaction with practice learning should continue to be improved.

CONFLICTS OF INTEREST

The authors declared no conflict of interest.

ACKNOWLEDGEMENTS

None.

DATA SHARING STATEMENT

Please contact the corresponding author for data availability.

AUTHOR CONTRIBUTIONS

Conceptualization or/and Methodology: Gu JY & Luo L.

Data curation or/and Analysis: Ma SM & Li CJ.

Funding acquisition: None.

Investigation: Gu JY & Luo L & Li CJ & Ma SM & Gong FH.

Project administration or/and Supervision: Gong FH.

Resources or/and Software: Gu JY & Ma SM & Li CJ.

Validation: Gu JY.

Visualization: Gu JY.

Writing original draft or/and Review & Editing: Gu JY & Luo L & Li CJ & Ma SM & Gong FH.

REFERENCES

1. National Health and Family Planning Commission of the People's Republic of China. [National Nursing Development Plan (2016-2020)]. Chinese Nursing Management. 2017;17(1):1-5. Chinese.
<https://doi.org/10.3969/j.issn.1672-1756.2017.01001>
2. Jin Y, Xu XD. The development status of stroke rehabilitation nursing. Chinese Nursing Management. 2018;18(6):726-729.
3. Conradie T, Charumbira M, Bezuidenhout M, Leong T, Louw Q. Rehabilitation and primary care treatment guidelines, South Africa. Bulletin of the World Health Organization. 2022;100(11):689-698.
<https://doi.org/10.2471/BLT.22.288337>
4. Shi RY, Qu BL, Li HY, Kang LH, Kong XC. Rehabilitation resource and rehabilitation nursing needs of patients at home in Xuzhou. Chinese Journal of Modern Nursing. 2020;26(8):1019-1024.
<https://doi.org/10.3760/cma.j.cn115682-20190912-03317>
5. Wang Y, Weng YL, Zhou LS. Role orientation of specialty nurses in rehabilitation. Chinese Journal of Nursing Education. 2019;16(9):657-661.
<https://doi.org/10.3761/j.issn.1672-9234.2019.09.004>
6. Mauk KL, Li PY, Jin H, Rogers J, Scalzitti K. Educating Chinese nurses about rehabilitation nursing: Findings from a single cohort quantitative pilot project. Rehabilitation Nursing. 2017;42(4):180-190. <https://doi.org/10.1002/rnj.273>
7. Meng X, Chen X, Liu Z, Zhou L. Nursing practice in stroke rehabilitation: Perspectives from multi-disciplinary healthcare professionals. Nursing & Health Sciences. 2020;22(1):28-37. <https://doi.org/10.1111/nhs.12641>
8. Feuerstein M, Findley PA, Gross DP. Reducing the global burden of work disability: A call to action to support the World Health Organization's Rehabilitation 2030. Journal of Occupational Rehabilitation. 2019;29(4):669-670.
<https://doi.org/10.1007/s10926-019-09859-w>
9. Zhan LL, Yao L, An L, Feng JJ, Shang WH, Li W, et al. Enlightenment of typical national rehabilitation nursing service mode. Chinese Health Quality Management. 2022;29(4):1-3, 8, 120.
<https://doi.org/10.13912/j.cnki.chqm.2022.29.04.01>
10. Meng L, Li XY, Zheng CE. The training program construc-

- tion and practice of clinical nurse specialists in rehabilitation nursing. *Chinese Nursing Management*. 2018;18(6):730–732. <https://doi.org/10.3969/j.issn.1672-1756.2018.06.003>
11. Chen JJ, Mei SL, Jiang HY, Du C. Application of PDCA cycle in management of teaching quality of rehabilitation nurse. *Chinese Journal of Rehabilitation Theory and Practice*. 2016;22(10):1232–1235. <https://doi.org/10.3969/j.issn.1006-9771.2016.10.026>
 12. Wu GL, Yang MY, Bao JH, Ni H, Song G, Xu W, et al. Practice and exploration of standardized training for nurses in rehabilitation nursing of Yunnan Province. *Journal of Kunming Medical University*. 2019;40(6):140–143. <https://doi.org/10.3969/j.issn.1003-4706.2019.06.029>
 13. Wang X, Meng L, Li XY. Training program for clinical nurse specialists in rehabilitation nursing. *Journal of Nursing Science*. 2018;33(20):65–66.
 14. Ding YM, Wu XJ, Wang XY, Xiao Y, Deng J, Tian J, et al. Investigation on training of specialized nurses developed by nursing associations at all levels in China. *Chinese Journal of Nursing*. 2020;55(5):747–750. <https://doi.org/10.3761/j.issn.0254-1769.2020.05.023>
 15. Li CJ, Teng LY. [Investigation and analysis on the demand for standardized training of rehabilitation nurses]. *Beijing Medical Journal*. 2021;43(1):92–94. Chinese. <https://doi.org/10.15932/j.0253-9713.2021.01.027>
 16. Chunlan B, Lihui P, Hongxiu C, Xiuying H. The gerontological nurse specialist's core competencies in China: A cross-sectional study. *Nursing Open*. 2020;7(6):1928–1935. <https://doi.org/10.1002/nop2.583>
 17. Vaughn S, Mauk KL, Jacelon CS, Larsen PD, Rye J, Wintertsgill W, et al. The competency model for professional rehabilitation nursing. *Rehabilitation Nursing*. 2016;41(1):33–44. <https://doi.org/10.1002/rnj.225>
 18. Ljungbeck B, Sjögren Forss K, Finnbogadóttir H, Carlson E. Content in nurse practitioner education – a scoping review. *Nurse Education Today*. 2021;98:104650. <https://doi.org/10.1016/j.nedt.2020.104650>
 19. Jokiniemi K, Miettinen M. Specialist nurses' role domains and competencies in specialised medical healthcare: A qualitative descriptive study. *International Journal of Caring Sciences*. 2020;13(1):171–179.
 20. Zhao JW, Fang YG, Li YJ. [Effective management of clinical nursing specialists and specialist nurses]. *Nanfeng Journal of Nursing*. 2005;(3):21–23. Chinese. <https://doi.org/10.16460/j.issn1008-9969.2005.03.010>
 21. Guspianto, Asyary A, Ibnu IN. Integration model of total quality management and six sigma in hospital quality management. *Management Science Letters*. 2021;11(4):1439–1442. <https://doi.org/10.5267/j.msl.2020.10.014>
 22. Ponsiglione AM, Ricciardi C, Improta G, Orabona GD, Sorrentino A, Amato F, et al. A Six Sigma DMAIC methodology as a support tool for Health Technology Assessment of two antibiotics. *Mathematical Biosciences and Engineering*. 2021;18(4):3469–3490. <https://doi.org/10.3934/mbe.2021174>
 23. Tlapa D, Tortorella G, Fogliatto F, Kumar M, Mac Cawley A, Vassolo R, et al. Effects of lean interventions supported by digital technologies on healthcare services: A systematic review. *International Journal of Environmental Research and Public Health*. 2022;19(15):9018. <https://doi.org/10.3390/ijerph19159018>
 24. Shah NK, Emerick TD. Lean Six Sigma methodology and the future of quality improvement education in anesthesiology. *Anesthesia and Analgesia*. 2021;133(3):811–815. <https://doi.org/10.1213/ANE.0000000000005636>
 25. Pocha C. Lean Six Sigma in health care and the challenge of implementation of Six Sigma methodologies at a Veterans Affairs Medical Center. *Quality Management in Health Care*. 2010;19(4):312–318. <https://doi.org/10.1097/QMH.0b013e3181fa0783>
 26. Kam AW, Collins S, Park T, Mihail M, Stanaway FF, Lewis NL, et al. Using Lean Six Sigma techniques to improve efficiency in outpatient ophthalmology clinics. *BMC Health Services Research*. 2021;21(1):38. <https://doi.org/10.1186/s12913-020-06034-3>
 27. Davidson JM, Price OM, Pepper M. Lean Six Sigma and quality frameworks in higher education - a review of literature. *International Journal of Lean Six Sigma*. 2020;11(6):991–1004. <https://doi.org/10.1108/IJLSS-03-2019-0028>
 28. Vaughn NH, Hassenbein SE, Black KP, Armstrong AD. Important elements in the quality improvement curriculum for orthopaedic residents. *Journal of Bone and Joint Surgery. American Volume*. 2019;101(7):e28. <https://doi.org/10.2106/JBJS.18.00061>
 29. Wang HM. Construction of core competence evaluation index system for rehabilitation nurse specialists [master's thesis]. Qingdao: Qingdao University; 2019. p. 1–102.
 30. Xiao N, Shi SN, Xie JH, Zhu LH, Liu Y. The effect of DMA-IC based training on quality improve in pediatric specialized nurses. *Chinese Nursing Management*. 2018;18(2):218–223. <https://doi.org/10.3969/j.issn.1672-1756.2018.02.016>
 31. Dempsey A, Robinson C, Moffatt N, Hennessy T, Bradshaw A, Teeling SP, et al. Lean Six Sigma redesign of a process for healthcare mandatory education in basic life support—a pilot study. *International Journal of Environmental Research and Public Health*. 2021;18(21):11653. <https://doi.org/10.3390/ijerph182111653>
 32. Smith Glasgow ME, Dreher HM, Schreiber J. Standardized testing in nursing education: Preparing students for NCLEX-RN® and practice. *Journal of Professional Nursing*.

- 2019;35(6):440–446.
<https://doi.org/10.1016/j.profnurs.2019.04.012>
33. Olsen JM, Lagunas MCW, Wildenberg C, Sohn KM, Brenner GH, Jadack RA, et al. Using standardized exams for formative program evaluation. *Teaching and Learning in Nursing*. 2021;16(4):371–374.
<https://doi.org/10.1016/j.teln.2021.06.006>
 34. Gutenbrunner C, Stievano A, Nugraha B, Stewart D, Catton H. Nursing – a core element of rehabilitation. *International Nursing Review*. 2022;69(1):13–19.
<https://doi.org/10.1111/inr.12661>
 35. Qi ZL, Wang F. The application of “one-to-one” tutor system in ICU nurse teaching. *China Continuing Medical Education*. 2020;12(2):28–30.
<https://doi.org/10.3969/j.issn.1674-9308.2020.02.012>
 36. Zheng SD, Li JZ. SWOT analysis of case-based teaching in nursing education. *Education Modernization*. 2019;6(68):181–184, 190.
<https://doi.org/10.16541/j.cnki.2095-8420.2019.68.062>
 37. Gholami M, Saki M, Toulabi T, Kordestani Moghadam P, Hossein Pour AH, Dostizadeh R. Iranian nursing students’ experiences of case-based learning: A qualitative study. *Journal of Professional Nursing*. 2017;33(3):241–249.
<https://doi.org/10.1016/j.profnurs.2016.08.013>
 38. Aluisio AR, Daniel P, Grock A, Freedman J, Singh A, Papanagnou D, et al. Case-based learning outperformed simulation exercises in disaster preparedness education among nursing trainees in India: A randomized controlled trial. *Prehospital and Disaster Medicine*. 2016;31(5):516–523.
<https://doi.org/10.1017/S1049023X16000789>
 39. van den Beemt A, van de Watering G, Bots M. Conceptualising variety in challenge-based learning in higher education: The CBL-compass. *European Journal of Engineering Education*. 2023;48(1):24–41.
<https://doi.org/10.1080/03043797.2022.2078181>
 40. Di HD, Chen L, Wang F, Lyu L, Liu N, Sheng LXB. Application of objective structured clinical examination assessment mode in neurosurgery specialist nurse training. *Chinese Journal of Practical Nursing*. 2022;38(28):2196–2202.
<https://doi.org/10.3760/cma.j.cn211501-20210305-00655>
 41. Kaswan MS, Rathi R. Analysis and modeling the enablers of Green Lean Six Sigma implementation using Interpretive Structural Modeling. *Journal of Cleaner Production*. 2019;231:1182–1191.
<https://doi.org/10.1016/j.jclepro.2019.05.253>
 42. Meyer E, Van Klaveren C. The effectiveness of extended day programs: Evidence from a randomized field experiment in the Netherlands. *Economics of Education Review*. 2013;36:1–11. <https://doi.org/10.1016/j.econedurev.2013.04.002>
 43. Kikuchi N. The effect of instructional time reduction on educational attainment: Evidence from the Japanese curriculum standards revision. *Journal of the Japanese and International Economies*. 2014;32:17–41.
<https://doi.org/10.1016/j.jjie.2014.01.001>
 44. Herron EK, Powers K, Mullen L, Burkhart B. Effect of case study versus video simulation on nursing students’ satisfaction, self-confidence, and knowledge: A quasi-experimental study. *Nurse Education Today*. 2019;79:129–134.
<https://doi.org/10.1016/j.nedt.2019.05.015>
 45. Su SD. Application of operation point demonstration method in nursing practical teaching. *Contemporary Nurses (The next ten-day Issue)*. 2018;25(10):164–166.
 46. Pulimeno M, Piscitelli P, Miani A, Colazzo S, Mazza A, Colao A. Narrative pedagogy to promote health and wellbeing in school setting: An approach proposed by UNESCO chair on health education and sustainable development. *Health Promotion Perspectives*. 2020;10(1):1–2.
<https://doi.org/10.15171/hpp.2020.01>
 47. Björklund K, Silén C. Occupational therapy and physiotherapy students’ communicative and collaborative learning in an interprofessional virtual setting. *Scandinavian Journal of Occupational Therapy*. 2021;28(4):264–273.
<https://doi.org/10.1080/11038128.2020.1761448>
 48. Hsieh PY, Lin HY, Chang CH, Chang YC, Cheng HP, Wang CY, et al. Effects of situational simulation and online first-aid training programs for nurses in general medical wards: A prospective study. *Nurse Education Today*. 2021;96:104621.
<https://doi.org/10.1016/j.nedt.2020.104621>